ANDOVER CODE

Checklist #3 – Preliminary Major Subdivision

Applicant:						File No.			
Block	Lot_								
		_	_	_				_	

This checklist is for general reference only. Further information may be required by the reviewing authority. The following designations are to be used when completing the checklist:

 $\sqrt{\ }$ - provided; NA – not applicable; W – waiver requested.

The applicant shall provide a written statement justifying the waiver request or why a checklist item is not applicable.

Item			
No.	Application Requirements	Applicant	Board
1.	Sixteen copies of preliminary major subdivision plat clearly drawn, certified and sealed by New Jersey licensed land surveyor at a scale not smaller than 1 inch equals 50 feet showing metes and bounds of entire tract being subdivided and new property lines (indicate any lines to be eliminated).	,,	
2.	Sheet Sizes; 11" x 17", 24" x 36", 30" x 42". Folded to show title block.		
3.	The plans should contain the following: A. Name of Development B. Name, address and phone number of Owner C. Name, address and phone number of Applicant D. Date of Preparation E. Block and Lot(s) to be developed F. Name & Address, signature, seal, and license number of person(s) preparing the map G. Graphic and written scale, north arrow and reference meridian H. Revision box & date of each revision		
4.	Title block stating type of application, name of development, name of municipality, block and lot and street location.		
5.	Names of property owners within 200 feet of subject property, their block and lot designation, per the most recent tax record. Include a copy of the certified list of property owners obtained from the tax assessor.		
6.	Any municipal limits within 200' of the development and the names of the adjoining municipalities.		
7.	Key map showing location of entire tract and 500' outside of the perimeter of the subject property with portion being subdivided delineated, and including the following: a. Block and lot of subject premises and adjoining properties b. Adjoining street(s), their name(s), and R.O.W. width(s) c. Scale of not less than one inch equals 400 feet; North arrow d. Delineated zone districts with designation		

8.	Appropriate approval blocks. The plans shall include a signature block for the Andover Township Land Use Board:	
	APPROVED BY THE ANDOVER	
	TOWNSHIP LAND USE BOARD	
	Land Use Board Chairperson Date	
	Land Use Board Secretary Date	
	Land Use Board Engineer Date	
0		
9.	Zone Data Box showing: A. Zone Districts	
	B. Required and proposed for each lot:	
	Nequired and proposed for each lot. Lot area	
	2. Lot width	
	3. Building height	
	Structure Lot coverage	
	5. Setbacks, front, rear and side (accessory structures as required)	
	6. Parking, impervious surface and any other applicable zone	
	requirements	
10.	Subdivision Information:	
	a. Area in square feet, and acres to the nearest hundredth, of	
	the entire tract and all existing and proposed lots, and right-	
	of-way dedications.	
	b. Entire tract boundary (heavy solid line), existing and	
	proposed property lines within the tract with distances in	
	feet (to the nearest 0.01 feet) and bearings to the nearest	
	second.	
	c. Open space, buffer zones, recreation areas, Municipal and public areas and lands to be reserved or conveyed to the	
	Township.	
	d. Existing and proposed easements including sight, utility,	
	access, conservation, drainage, slope and any other types of	
	easements as appropriate.	
11.	Building envelopes excluding buffers and restricted areas showing	
	delineated setback lines for each lot based on zone requirements.	
12.	Location of proposed structures showing setbacks required and	
	distances from existing and proposed property lines.	
13.	Location of all structures (principal and accessory structures,	
	driveways, parking areas, etc.) and wooded areas on, and within 200	
	feet of the existing tract boundaries with dimensions to existing	
1.4	property lines.	
14.	Lot width at street line of lot created; road frontage of remainder portion; cartway width; and width and name of right-of-way on	
	which property fronts.	
15.	Location and size of existing and proposed utilities onsite and within	
13.	200 feet of the site with easement or right of way (if any) including:	
	A. Sanitary sewers or septic systems	
	B. Storm drains with grate and invert information	
	C. Public water or wells	
	D. Gas	
	E. Telephone	
	F. Electricity	
	G. Cable TV	
16.	Location of any railroad tracks, bridges, culverts, driveways,	
	sidewalks, parking spaces, etc.	

			,
17.	Existing and proposed contours within 200 feet at ten-foot intervals		
	for slopes at or over twenty-five percent grade and at two-foot		
	intervals for less than twenty-five percent grade. Provide spot		
	elevations and top and bottom of wall elevations.		
18.	Soil classification data as mapped by the USDA Soil Conservation		
	Service in Soil Survey of Sussex County.		
19.	Location and description of monuments, whether set or to be set.		
20.	A copy of all existing protective covenants or deed restrictions		
20.	affecting the property and a statement as to whether such deeds or		
	covenants are of record. Include a copy of the original deed		
	documents.		
21.			
	An electronic copy of plans in .DWG format or a compatible format.		
22.	Copies of applications to Sussex County Planning Board, Sussex		
	County Soil Conservation District, and/or NJDOT, if applicable.		
23.	One of the following:		
	(a) A letter of interpretation from the N.J.D.E.P. indicating the		
	absence of freshwater wetlands, or indicating the presence and		
	verifying delineation of the boundaries of freshwater wetlands, or		
	(b) A letter of exemption from the N.J.D.E.P. certifying that the		
	proposed activity is exempt from the Freshwater Wetlands		
	Protection Act, and regulations promulgated thereunder, or,		<u> </u>
	(c) A copy of any application made to the N.J.D.E.P. for any permit		
	concerning a proposed regulated activity in or around freshwater		
	wetlands		
Note:	The Land Use Board may waive the above requirements upon		
	receipt of a letter by a certified wetland scientist that no wetlands		
	exist on site, in close proximity to the subject property, on adjacent		
	properties, on contiguous property owned by the Applicant, or on		
	large properties, if the area of disturbance resulting from the project		
	is clearly outside the limits of disturbance, all subject to approval by		
	the Land Use Board Engineer.		
24.	Depict critical areas and historic preservation districts.		
25.	Percolation or permeability test(s) results witnessed by the Sussex		
23.	County Health Department along with a certification by the engineer		
	that each lot can support septic systems in accordance with NJAC		
	7:9A. The following shall be included:		
	A. Two (2) soil logs per lot		
	B. Permeability results for one of the test holes.		
	C. Location of test holes		
	D. Approximate location of primary disposal bed.		1
26.	Plats involving a corner lot or lots, the required sight triangle		
	easements.		
27.	Conceptual development plans for individual lots within		
	subdivisions.		
28.	Plans and computations for any storm drainage systems according to		
	the Residential Site Improvement Standard, including drainage area		
	map and the following:		
	A. The size, profile and direction of flow of all existing and		
	proposed storm sewer lines within or adjacent to the tract and the		
	location of each catch basin, inlet, manhole, culvert and headwall		
	with the invert elevations of each.		
	B. The location and extent of any proposed dry wells, ground water		1
	recharge basins, detention basins or other water or soil conservation		
	devices.		
29.	For residential development compliance with the New Residential		
	Construction Off-Site Conditions Disclosure Act.		
L	Constitution On One Conditions Disclosure Act.	l	

30.	When a stream is proposed for alteration, improvement, or	
	relocation, or when a drainage structure or fill is proposed over,	
	under, in or along a running stream, and when the N.J.D.E.P. does	
	not have jurisdiction, the following information shall be submitted:	
	A. Acreage of the drainage basin of any water course running	
	through the property.	
	B. Delineation of the floodway, flood hazard area, and stream	
	encroachment line, within the subject tract.	
	C. Hydraulic and hydrologic calculations supporting the	
	determination of the floodway, flood hazard area and stream	
	encroachment line including stream profiles, cross-sections of the	
	affected stream.	
	All information and calculations submitted shall be in accordance	
	with the requirements of the N.J.D.E.P.	
31.	Natural features on site, and within 200 feet of the site:	
	A. Cliffs and rock outcroppings	
	B. Flood hazard area delineation based on NJDEP and FEMA	
	mapping	
	C. Freshwater Wetlands, Transition Areas and vernal pools	
	D. Natural and artificial watercourses, streams, shorelines and	
	water boundaries and encroachment lines	
	E. Aquifer recharge areas, including safe sustained ground water	
	yield	
	F. Areas in which construction is precluded due to presence of	
	stream corridors and/or steep slopes	
	G. All areas to be disturbed by grading or construction	
32.	Delineation of steep slopes at the following categories:	
	(i) 20% to 24.99%	
	(ii) 25% to 34.99%	
22	(iii) 35% or greater	
33.	Slope disturbance table setting forth	
	(a) the existing areas of steep slopes, in square feet in each of	
	the categories set in item # 33;	
	(b) the proposed areas of steep slope disturbance, in square	
	feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the	
	(c) the percentage of steep slope disturbance in each of the aforesaid categories.	
34.	Limits of disturbance for all construction activities	
35.	Environmental Impact Statement, applicability determined per	
] 33.	Ordinance §131-12, contents as described in §131-13.	
36.	Existing and proposed driveway locations with sight distance	
] 50.	profiles. Sight distances shall conform to AASHTO sight design	
	standards, or applicable Municipal Ordinance, based on posted	
	speed limits. A design speed of 50 MPH shall be used if there is no	
	posted limit.	
37.	Tree permitting plan in accordance with Ordinance Chapter 170	
38.	Written confirmation of proposed lot numbers from the Municipal	
	Tax Assessor.	
	1	<u>. </u>

A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Water, Storm and Sanitary Sewer structures and piping. F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then 1" = 50" J. Profile view at a scale of 1" = 50" horizontal and 1" = 5" vertical Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. We	20		
B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Water, Storm and Sanitary Sewer structures and piping. F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then I' = 50' J. Profile view at a scale of I' = 50' horizontal and I' = 5' vertical 40. Roadway cross sections every fifty feet along the centerline alignment For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter, 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanita	39.	Plan and Profile of existing and proposed roadways including:	
C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Water, Storm and Sanitary Sewer structures and piping. F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then 1" = 50" J. Profile view at a scale of 1" = 50" horizontal and 1" = 5" vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance &159-TE) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilitie			
D. Curbs, sidewalks and Guide Rail E. Water, Storm and Sanitary Sewer structures and piping. F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then 1" = 50' J. Profile view at a scale of 1" = 50' horizontal and 1" = 5' vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Skotch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test res			
E. Water, Storm and Sanitary Sewer structures and piping. F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then 1" = 50' J. Profile view at a scale of 1" = 50' horizontal and 1" = 5' vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction defris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Of			
F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then 1" = 50' J. Profile view at a scale of 1" = 50' horizontal and 1" = 5' vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient t		D. Curbs, sidewalks and Guide Rail	
G. Horizontal and Vertical Alignment annotation H. Low and high points along profile I. Plan view at a scale not less then 1" = 50" J. Profile view at a scale of 1" = 50" horizontal and 1" = 5" vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		E. Water, Storm and Sanitary Sewer structures and piping.	
H. Low and high points along profile I. Plan view at a scale not less then 1" = 50" J. Profile view at a scale of 1" = 50" horizontal and 1" = 5" vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		F. All utilities including feasible connection points	
I. Plan view at a scale not less then 1" = 50" J. Profile view at a scale of 1" = 50' horizontal and 1" = 5' vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		G. Horizontal and Vertical Alignment annotation	
J. Profile view at a scale of 1" = 50' horizontal and 1" = 5' vertical 40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		H. Low and high points along profile	
40. Roadway cross sections every fifty feet along the centerline alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter, 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		I. Plan view at a scale not less then 1" = 50'	
alignment 41. For public sewer and water, public or private utility letter verifying hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		J. Profile view at a scale of 1" = 50' horizontal and 1" = 5' vertical	
 For public sewer and water, public or private utility letter verifying hook-up availability. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. Soil erosion and sediment control plan (see Ordinance Chapter. 136) Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. Earthwork summary and estimate of off-site borrow or export material. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. Well testing plan, test results and report. Off-Site or Public Improvements Plan at a scale sufficient to allow a 	40.	Roadway cross sections every fifty feet along the centerline	
hook-up availability. 42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
42. Signage, including location of signs and appropriate detail such as size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	41.	For public sewer and water, public or private utility letter verifying	
size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		hook-up availability.	
size, height, materials and lighting. 43. Soil erosion and sediment control plan (see Ordinance Chapter. 136) 44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	42.	Signage, including location of signs and appropriate detail such as	
44. Sketch of any anticipated future road systems for preliminary plats that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	43.	Soil erosion and sediment control plan (see Ordinance Chapter. 136)	
considered suitable for future connections to other adjoining tracts. 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	44.	Sketch of any anticipated future road systems for preliminary plats	
 45. Earthwork summary and estimate of off-site borrow or export material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a 		that cover only a portion of the site thereof. Include all locations	
material. 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		considered suitable for future connections to other adjoining tracts.	
 46. Landscape Plan including the types, quantity, size and location of all proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a 	45.	Earthwork summary and estimate of off-site borrow or export	
proposed plantings. The scientific and common names shall be included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		material.	
included. Include buffering plan showing berms, fences and construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	46.	Landscape Plan including the types, quantity, size and location of all	
construction details. 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		proposed plantings. The scientific and common names shall be	
 47. Lighting Plan including the fixture types, pole types, mounting heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a 		included. Include buffering plan showing berms, fences and	
heights, direction, shielding, wattage, isolux patterns, time of operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		construction details.	
operation and footing details. The Lighting Plan shall also show the minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	47.	Lighting Plan including the fixture types, pole types, mounting	
minimum required footcandle isolux patterns superimposed on the proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a		heights, direction, shielding, wattage, isolux patterns, time of	
proposed development plan to ensure proper lighting distribution. 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
 48. Fire Protection Plans and Details including the proposed units, available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a 			
available water supply, storage tanks, watermain size, flow and hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
hydrant/tank locations. (see Ordinance §159-7E) 49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	48.		
49. Location of material storage, equipment storage, storage trailers, stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
stockpiles, waste material (stumps, rocks, construction debris, etc.) 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
 50. Location of model home, temporary sales office, construction office, temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a 	49.		
temporary parking, landscaping, lighting, fencing, sanitary facilities and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
and signs. 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a	50.		
 51. Well testing plan, test results and report. 52. Off-Site or Public Improvements Plan at a scale sufficient to allow a 			
52. Off-Site or Public Improvements Plan at a scale sufficient to allow a			
thorough engineering review.	52.		
		thorough engineering review.	

53.	Organization documents, including:	
33.	A. Article of Incorporation for any Homeowners Assoc.,	
	Condominium Association, or other organization to maintain the	
	common open space or community facilities.	
	B. By-Laws and Membership Rules and Regulations of any such	
	organization, defining its rights.	
	C. A copy of the Master Deed detailing the rights and privileges of	
	individual owners of common property.	
	D. A copy of all materials submitted to the Dept. of Community	
	Affairs as required by the N.J. Planned Real Estate Development	
	Full Disclosure Act. Regulations and evidence of the status of	
	acceptance of and/or approval by the Dept. of Community Affairs.	
	E. Covenants or easements restricting the use of the common open	
	space element.	
	F. Covenants or agreements requiring homeowners or residents to	
	pay the organization for the maintenance of the common open space	
	and/or community facilities. This shall include a proposed schedule	
	of membership fees for at least the first three years of operation.	
54.	Copies of the proposed developers agreement, if any	
55.	Qualifying Plan for lot averaging	
56.	Construction details	
57.	The first floor elevation of any existing and proposed building(s).	
58.	Locate any public or private well, including block and lot, within	
	500 feet of the property line.	
59.	Three copies of the appropriate application form(s), completely	
	filled in. If any item is not applicable to the Applicant, it should so	
	be indicated on the application form(s). If completeness waivers are	
	sought, explain, in writing, why waivers should be granted.	
60.	All public property and property proposed to be dedicated in the	
	tract, accurately outlined and described with existing or proposed	
	uses designated.	
61.	The location and use of al property to be reserved by covenant in the	
	deed for the common use of all property owners or otherwise.	